



**SAFETY DATA SHEET**  
**PRIVATE LABEL THICK BLEACH PLB1014 SPD955**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** PRIVATE LABEL THICK BLEACH PLB1014 SPD955

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Cleenol Group Ltd  
 Neville House  
 Beaumont Road  
 Banbury  
 Oxon OX16 1RB  
 UK  
 Tel : +44 (0)1295 251721  
 Fax : +44 (0)1295 269561  
 sales@cleenol.co.uk

**Manufacturer** Cleenol Group Ltd  
 Neville House  
 Beaumont Road  
 Banbury  
 Oxon OX16 1RB  
 UK  
 Tel : +44 (0)1295 251721  
 Fax : +44 (0)1295 269561  
 sales@cleenol.co.uk

**1.4. Emergency telephone number**

**Emergency telephone** Poisons Information Specialist  
 National Poisons Information Service  
 Birmingham  
 B18 7QH  
 Tel: 0121 507 5122

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards** Not Classified  
**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318  
**Environmental hazards** Not Classified

**Classification (67/548/EEC or 1999/45/EC)** Xi;R36/38. R31.

**2.2. Label elements**

**PRIVATE LABEL THICK BLEACH PLB1014 SPD955****Pictogram****Signal word**

Danger

**Hazard statements**

H315 Causes skin irritation.  
H318 Causes serious eye damage.

**Precautionary statements**

P264 Wash contaminated skin thoroughly after handling.  
P280 Wear protective gloves.  
P280 Wear eye protection.  
P302+P352 IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P332+P313 If skin irritation occurs: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P102 Keep out of reach of children.

**Supplemental label information**

EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine).

**Contains**

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

**2.3. Other hazards****SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 7681-52-9	EC number: 231-668-3	REACH registration number: 01-2119488154-34-XXXX
M factor (Acute) = 1		
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Skin Corr. 1B - H314	C;R34 R31 N;R50	
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
<b>SODIUM LAURYL ETHER SULPHATE</b> <span style="float: right;"><b>1-5%</b></span>		
CAS number: 3088-31-1	EC number: 221-416-0	REACH registration number: 01-2119488639-16-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Skin Irrit. 2 - H315	Xi;R36/38.	
Eye Irrit. 2 - H319		

## PRIVATE LABEL THICK BLEACH PLB1014 SPD955

<b>SODIUM HYDROXIDE</b>		<b>&lt;1%</b>
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Skin Corr. 1A - H314	C;R35	
Eye Dam. 1 - H318		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

#### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

#### 6.4. Reference to other sections

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

**Storage class** Chemical storage.

## PRIVATE LABEL THICK BLEACH PLB1014 SPD955

### 7.3. Specific end use(s)

#### SECTION 8: Exposure Controls/personal protection

##### 8.1. Control parameters

###### Occupational exposure limits

###### SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

**Ingredient comments** WEL = Workplace Exposure Limits

##### 8.2. Exposure controls

###### Protective equipment



###### Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

###### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

###### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

###### Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

###### Hygiene measures

Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

###### Respiratory protection

No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

#### SECTION 9: Physical and Chemical Properties

##### 9.1. Information on basic physical and chemical properties

**Appearance** Liquid.

##### 9.2. Other information

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

##### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures.

##### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Contact with acids liberates toxic gas.

##### 10.4. Conditions to avoid

**Conditions to avoid** Avoid excessive heat for prolonged periods of time.

## PRIVATE LABEL THICK BLEACH PLB1014 SPD955

### 10.5. Incompatible materials

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Inhalation** Irritating to respiratory system.  
**Ingestion** May cause discomfort if swallowed.  
**Skin contact** Irritating to skin.  
**Eye contact** Irritating to eyes.

## SECTION 12: Ecological Information

**Ecotoxicity** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

### 12.1. Toxicity

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

### 14.1. UN number

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

**Transport labels**

### 14.4. Packing group

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**  
No.

### 14.6. Special precautions for user

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

## PRIVATE LABEL THICK BLEACH PLB1014 SPD955

**Guidance**                      CHIP for everyone HSG228.  
  Workplace Exposure Limits EH40.  
  Safety Data Sheets for Substances and Preparations  
  Approved Classification and Labelling Guide (Sixth edition) L131.

### 15.2. Chemical safety assessment

#### SECTION 16: Other information

<b>Revision date</b>	05/10/2015
<b>Revision</b>	1
<b>Supersedes date</b>	31/07/2015
<b>SDS number</b>	20580
<b>Risk phrases in full</b>	R31 Contact with acids liberates toxic gas. R34 Causes burns. R35 Causes severe burns. R36/38 Irritating to eyes and skin. R50 Very toxic to aquatic organisms.
<b>Hazard statements in full</b>	H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.