



## SAFETY DATA SHEET

### PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Product name PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent

##### 1.3. Details of the supplier of the safety data sheet

Supplier STAPLES CHEMICALS  
NEVILLE HOUSE  
BEAUMONT ROAD,  
BANBURY,  
OXON OX16 1RB  
01295 251721  
01295 269561  
sales@cleenol.co.uk

##### 1.4. Emergency telephone number

Emergency telephone Emergency contact number 01295 251721 (9am to 5pm Monday to Friday excluding bank holidays). Ask for Technical Department quoting the product name. Outside of these hours please contact your doctor or local hospital accident and emergency department or the NHS enquiry service (dial 111) quoting product name and present this MSDS advising them that the product is registered with the National Poisons Information Service

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

##### 2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P280 Wear protective gloves.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

##### 2.3. Other hazards

Other Hazards None

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

<b>POLYDIMETHYLSILOXANE</b>	<b>1-5%</b>
CAS number: 63148-62-9	
<b>Classification</b> Not Classified	<b>Classification (67/548/EEC or 1999/45/EC)</b> -
<b>FATTY ALCOHOL ETHOXYLATE</b>	<b>&lt;1%</b>
CAS number: 24938-91-8	
M factor (Acute) = 1	
<b>Classification</b> Acute Tox. 4 - H302 Eye Dam. 1 - H318 Aquatic Acute 1 - H400	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R22. Xi;R41. N;R50.
<b>SODIUM HYDROXIDE</b>	<b>&lt;1%</b>
CAS number: 1310-73-2	EC number: 215-185-5
	REACH registration number: 01-2119457892-27-XXXX
<b>Classification</b> Skin Corr. 1A - H314 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> C;R35
<b>BRONOPOL (INN)</b>	<b>&lt;1%</b>
CAS number: 52-51-7	EC number: 200-143-0
M factor (Acute) = 10	
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R21/22 Xi;R37/38,R41 N;R50

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	May cause respiratory irritation.
<b>Ingestion</b>	May cause discomfort if swallowed.

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

**Skin contact** May cause skin irritation.

**Eye contact** May cause eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

**Specific treatments** Seek medical attention if irritation or symptoms persist. Symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Burning may produce irritating, toxic and obnoxious fumes.  
Oxides of Carbon, Nitrogen and Sulphur.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet

### 6.2. Environmental precautions

**Environmental precautions** Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

### 6.4. Reference to other sections

**Reference to other sections** See section 3,8 & 13 for further information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Avoid spilling. Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep only in the original container.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

**SHELF LIFE OF DILUTION**  
12 MONTHS

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

TURPENTINE, OIL

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

Long-term exposure limit (8-hour TWA): WEL 100 ppm 566 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 150 ppm 850 mg/m<sup>3</sup>

### SODIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

### 8.2. Exposure controls

#### Protective equipment



#### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.

#### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. To protect hands from chemicals, gloves should comply with European Standard EN374.

#### Other skin and body protection

Use barrier creams to prevent skin contact

#### Hygiene measures

Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin.

#### Respiratory protection

Not relevant

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	White/off-white.
pH	6-8
Relative density	1.000 @ 20C

#### 9.2. Other information

Other information	None.
-------------------	-------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity	No test data specifically related to reactivity available for this product or its ingredients.
------------	--

#### 10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	None known.
------------------------------------	-------------

#### 10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
---------------------	---

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

### 10.5. Incompatible materials

**Materials to avoid** None known.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Skin irritation should not occur when used as recommended.

**Eye contact** Vapour or spray in the eyes may cause irritation and smarting.

## SECTION 12: Ecological Information

**Ecotoxicity** Not regarded as dangerous for the environment

### 12.1. Toxicity

**Toxicity** The product is not believed to present a hazard due to its physical nature.

### 12.2. Persistence and degradability

**Persistence and degradability** The product is biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Not known.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## SECTION 14: Transport information

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

### 14.3. Transport hazard class(es)

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78  
and the IBC Code

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
<b>Guidance</b>	Workplace Exposure Limits EH40. CHIP for everyone HSG 228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

## SECTION 16: Other information

<b>Revision date</b>	13/10/2017
<b>Revision</b>	10
<b>Supersedes date</b>	29/09/2017
<b>SDS number</b>	PLF 217

## PRIVATE LABEL WAX FREE FURNITURE POLISH PLF217 SPD708

### Risk phrases in full

Not classified.  
R10 Flammable.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R22 Harmful if swallowed.  
R35 Causes severe burns.  
R36/38 Irritating to eyes and skin.  
R41 Risk of serious damage to eyes.  
R43 May cause sensitisation by skin contact  
R50 Very toxic to aquatic organisms.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
R65 Harmful: may cause lung damage if swallowed.

### Hazard statements in full

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.